

# REAL-TIME COLLABORATIVE MODELLING OVER LOW-BANDWIDTH NETWORKS

M. MARGARITIS<sup>1</sup>, N. AVOURIS<sup>1</sup>, V. KOMIS<sup>1</sup>, A. DIMITRACOPOULOU<sup>2</sup>

<sup>1</sup> University of Patras, Rio Patras, Greece

<sup>2</sup> University of the Aegean, Rhodes, Greece

Margaritis@ee.upatras.gr

**Abstract:** ModellingSpace is an open learning environment, which permits building of models by collaborating partners in various educational settings. This paper describes briefly the main features of the ModellingSpace environment and in particular issues related with coordination and communication during problem solving, as well as architectural considerations of this distributed peer-to-peer application relating to maintaining acceptable performance under low bandwidth network conditions. This is an interactive paper followed by a computer presentation of the described software.

## 1. MODELLINGSPACE SYSTEM ARCHITECTURE

MODELLINGSPACE (MS)<sup>1</sup> software is a client-server distributed application, which comprises a suite of interconnected tools to support collaborative modeling activities. MS is an environment that supports individual and collaborative building of various kinds of models. It includes tools that permit building and editing of primitive multimedia entities, building and exploring models that are constructed using these primitive entities, synchronous and asynchronous interaction of students, collocated or at a distance who collaborate in building models. The open character of MS means that students have access to an open set of primitive entities that can be used for building these models. A result of this characteristic is that the collaborating partners may reason using heterogeneous sets of primitive entities, in order to obtain a solution, as discussed by Komis, Avouris & Fidas (2003).




Figure 1. ModellingSpace interaction through exchange of shared workspace control messages (a), coordination control messages (b) and chat messages (c)

<sup>1</sup> Funding from Project IST-2000-25385 “ModellingSpace” is acknowledged [www.modellingspace.net].

The main functionality of the MS environment is described through figure 1, which shows a typical model building activity, which involves two partners at a distance. MS is based on the concept of *shared artefact*, represented in a work surface. In contrary to some other collaboration applications, in which emphasis is in communication (argumentation tools, decision making etc.), in our case the distant partners collaborate mainly by sharing the model in the work surface, which thus becomes a cognitive space. In this case the communication through the artefact is important, where one participant's manipulation of shared objects can be observed by the other participants. This communication through-the-artefact can be as important as direct communication between participants, as observed in (Avouris et al. 2003a). A key requirement in this context is to support sharing of a view of the model in synchronous modelling activities over low bandwidth connections, as is often the case with school laboratories connections to the Internet. In contrary to other shared workspace environments in which heavy graphical information is exchanged among partners, in MS we use a replication of the libraries of primitive entities and tools. As a result only light control messages, shown as (a) in fig.1, are exchanged among partners. In addition support of direct communication among the participants through an instant messaging tool (*chat*) is shown as (c) in fig.1.

## 2. COORDINATION & COMMUNICATION DESIGN

In the frame of the collaborative use of MS, a dialogue tool has been integrated, which is based on an instant messaging protocol, using the same point-to-point connection and protocol discussed. Through this, text messages are exchanged during collaborative problem solving. This chat tool, which is activated from the collaboration panel, is equipped with 'dialogue openers'. This way the user can select the opening phrase of the utterance and thus classify indirectly the speech act. This is based on a parametric approach, where the researcher is able to decide on the dialogue openers if they need to be introduced.

The coordination of partners' activity in the shared activity space is another very important aspect of the architecture. Two alternatives have been provided in relation to coordination mechanisms for ModellingSpace design. The first mechanism involves a token, the *Action Enabling Key*, which is owned by one of the participants at any given time. This key owner can then act in the shared workspace, while the other participants just observe this activity. This mechanism is supported by *key request*, *key accept*, *key reject* functions. In fig.1 partner #2 has requested the key from partner #1, the corresponding dialogue messages are shown in the two workstations. The interchanged coordination control messages are shown as connection (b) in fig.1. The effectiveness of this approach has been studied in various experiments, see (Fidas et al. 2002) and (Komis et al. 2002).

An alternative that has been also implemented, proposed especially for small groups of partners, involves complete lack of floor control mechanism. The partners can manipulate parts of the model at any time during problem solving. For reasons related to distributed data consistency, only a temporary locking mechanism of objects selected by one partner is imposed during an operation. The coordination of activities is left to the partners to decide in this case. So, the activity of a partner cannot be inhibited and no conflicts can occur over key possession. Nevertheless, in this case, implicit social protocols of organisation need to be established by the students, as discussed in Avouris et al. (2003b), in order to facilitate coordinated group activity, since explicit coordination is not imposed.

## 3. LOOSE VS TIGHT COLLABORATION

The collaboration scheme supported by the described architecture can involve either loose or tight collaboration of the distant partners. In some activities the partners are encouraged to use a

private space and copy partial results in the shared space to be discussed with peers, as shown in fig.2. An alternative is a tight collaboration scheme, in which partners share the working area in which they collaborate in building common representations. Both these approaches are possible in MS, since they both have distinct advantages from the point of view of collaborative learning and can be used by educators who use MS.




Figure 2. Loose cooperation scheme using both a shared and a private area

#### 4. CONCLUSIONS

In this paper we discussed a peer-to-peer architecture that permits real-time collaborative modelling at a distance. The approach involves exchange of just control messages for maintenance of effective WYSIWIS (what you see is what I see) of the shared workspace, as well as text chat messages for direct communication and coordination control messages. These messages are at the most a few Kbytes long and therefore can be exchanged without disruption of interaction even under low bandwidth peer-to-peer connections. The effectiveness of this approach has been proven through a number of case studies in authentic educational settings, reported in Avouris et al. (2003), Komis et al. (2003) in which alternative cooperation schemes have been implemented.

#### 5. REFERENCES

- Avouris N.M., Dimitracopoulou A., Komis V., (2003a), On analysis of collaborative problem solving: An object-oriented approach, *J. of Human Behavior*, Vol. 19, 2, pp. 147-167.
- Avouris N., Margaritis M., Komis V., (2003b), Real-Time Collaborative Problem Solving: a Study on Alternative Coordination Mechanisms, *IEEE ICALT 2003*, Athens July 2003.
- Dimitracopoulou A. & Komis V. (2003). Design Principles for an Open and Wide MODELLINGSPACE for Learning, *Proc. of 6th CBLIS*, 5-10 July, 2003, Nicosia, Cyprus
- Komis V., Avouris N., Fidas C., (2003) A study on heterogeneity during real-time collaborative problem solving, *Proc. CSCL 2003 congress: 14-18 June 2003*, Bergen, Norway.
- Komis V., Avouris N., Fidas C., (2002) Computer-Supported Collaborative Concept Mapping: Study of Synchronous Peer Interaction, *Education and Information Technologies*, 7:2, 169-188, 2002.